CENTRAL FAX CENTER

OCT 1 7 2007

PATENT

Docket No.: 37799.00200

## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of claims:

 (currently amended) A method for software application development suitable for processing input files with varying file formats or data structures, the method comprising:

characterizing the file format and data structure of at least one known input file type; and

predetermined functions, wherein the library of jobs comprises at least one job configured to read the file format and data structure of the known input file and convert that input file to a tab delimited file format or data structure that is common to the plurality of jobs, at least one job configured for extracting data from a file, at least one job configured for archiving files, at least one job configured for loading files, at least one job configured for messaging, at least one job configured for transforming data in a file, at least one job configured for validating data in a file, and further wherein each job configured to perform a predetermined function and each job includes including an indicator of job termination, wherein the indicator is either termination success or job termination failure, and the plurality of jobs are configured for linking according to the indicator of job termination success or job termination failure, with at least one of the jobs configured to read the file format and data structure of the known input file and convert that input file to a file format or data structure substantially common to the plurality of jobs.

LA1:#6356015

Milbank Tweed LA

<u>PATENT</u>

Docket No.: 37799.00200

2-7. (cancelled)

8. (currently amended) A method according to claim 1, further comprising: creating a job stream library, the job stream library comprising at least one job stream, the job stream comprising individual jobs from the library of jobs, and the at least one job stream in the job stream library including an indicator of job stream termination, wherein the indicator is either job stream termination success or job stream termination failure.

- (original) A method according to claim 1, further comprising adding jobs
  to the library of jobs.
- 10. (currently amended) A system for software application development suitable for processing input files with varying file formats or data structures, the system comprising a processor with:

means for characterizing the file format and data structure of at least one known input file type; and

means for creating a library comprising a plurality of jobs configured to perform predetermined functions, wherein the library of jobs comprises at least one job configured to read the file format and data structure of the known input file and convert that input file to a tab delimited file format or data structure that is common to the plurality of jobs, at least one job configured for extracting data from a file, at least one job configured for archiving files, at least one job configured for loading files, at least one job configured for messaging, at least one job configured for transforming data in a file, at least one job configured for validating data in a file,

LA1:#635601S

Fax Server

Docket No.: 37799.00200

and further wherein each job configured to perform a predetermined function and each job includes including an indicator of job termination, wherein the indicator is either termination success or job termination failure, and the plurality of jobs are configured for linking according to the indicator job termination success or job termination failure, with at least one of the jobs configured to read the file format and data structure of the known input file and convert that input file to a file format or data structure substantially common to the plurality of jobs.

10/17/2007 2:42:25 PM

11. (currently amended) Computer executable software code transmitted as an information signal, the code for software application development suitable for processing input files with varying file formats or data structures, the code comprising:

code to characterize the file format and data structure of at least one known input file type; and

code to create a library comprising a plurality of jobs configured to perform predetermined functions, wherein the library of jobs comprises at least one job configured to read the file format and data structure of the known input file and convert that input file to a tab delimited file format or data structure that is common to the plurality of jobs, at least one job configured for extracting data from a file, at least one job configured for archiving files, at least one job configured for loading files, at least one job configured for messaging, at least one job configured for transforming data in a file, at least one job configured for validating data in a file. and further wherein each job configured to perform a predetermined function and each job includes including an indicator of job termination, wherein the indicator is either termination success or job termination failure, and the plurality of jobs are configured for linking according to the indicator of job termination success or job termination failure, with at least one of the jobs

LA1:#6356015

<u>PATENT</u>

Fax Server

Docket No.: 37799.002

configured to read the file format and data structure of the known input file and convert that input file to a file format or data structure substantially common to the plurality of jobs.

12. (currently amended) A computer-readable medium having computer executable software code stored thereon, the code for software application development suitable for processing input files with varying file formats or data structures, the code comprising:

code to characterize the file format and data structure of at least one known input file type; and

predetermined functions, wherein the library of jobs comprises at least one job configured to read the file format and data structure of the known input file and convert that input file to a tab delimited file format or data structure that is common to the plurality of jobs, at least one job configured for extracting data from a file, at least one job configured for archiving files, at least one job configured for loading files, at least one job configured for messaging, at least one job configured for transforming data in a file, at least one job configured for validating data in a file, and further wherein each job configured to perform a predetermined function and each job includes including an indicator of job termination, wherein the indicator is either termination success or job termination failure, and the plurality of jobs are configured for linking according to the indicator of job termination success or job termination failure, with at least one of the jobs configured to read the file format and data structure of the known input file and convert that input file to a file format or data structure substantially common to the plurality of jobs.

13. (currently amended) A programmed computer for software application

LA1:#6356015

Fax Server

Docket No.: 37799.00200

development suitable for processing input files with varying file formats or data structures, comprising:

a memory having at least one region for storing computer executable program code; and

a processor for executing the program code stored in the memory, wherein the program code comprises:

code to characterize the file format and data structure of at least one known input file type; and

code to create a library comprising a plurality of jobs configured to perform predetermined functions, wherein the library of jobs comprises at least one job configured to read the file format and data structure of the known input file and convert that input file to a tab delimited file format or data structure that is common to the plurality of jobs, at least one job configured for extracting data from a file, at least one job configured for archiving files, at least one job configured for loading files, at least one job configured for messaging, at least one job configured for transforming data in a file, at least one job configured for validating data in a file, and further wherein each job configured to perform a predetermined function and each job includes including an indicator of job termination, wherein the indicator is either termination success or job termination failure, and the plurality of jobs are configured for linking according to the indicator of job termination success or job termination failure, with at least one of the jobs configured to read the file format and data structure of the known input file and convert that input file to a file format or data structure substantially common to the plurality of jobs.

> 14. (currently amended) A method for processing a data file, the method

LA1:#6356015

Docket No.: 37799.

comprising:

Milbank Tweed LA

selecting a plurality of jobs from a preexisting library of jobs, wherein the library of jobs comprises at least one job configured to read the file format and data structure of the known input file and convert that input file to a tab delimited file format or data structure that is common to the plurality of jobs, at least one job configured for extracting data from a file, at least one job configured for archiving files, at least one job configured for loading files, at least one job configured for messaging, at least one job configured for transforming data in a file, at least one job configured for validating data in a file, and further wherein each job includes including an indicator of job termination, wherein the indicator is either termination success or job termination failure:

creating a job stream, the job stream comprising the plurality of jobs linked to each other according to the indicator of job termination success or job termination failure;

creating a manager;

receiving the data file; and

processing the data file with the job stream in a plurality of steps, either in sequence or in parallel, using the manager, wherein at least one of the plurality of steps comprises converting the file format and data structure of the data file to the a file format or data structure substantially common to the plurality of jobs.

- 15. (original) A method according to claim 14, wherein receiving the data file comprises receiving the data file as an e-mail attachment.
  - 16. (original) A method according to claim 14, wherein receiving the data file

LA1:#5356015

Docket No.: 3779

Fax Server

comprises receiving the data file using file transfer protocol.

17. (original) A method according to claim 14, wherein receiving the data file comprises receiving the data file using hypertext transfer protocol.

10/17/2007 2:42:25 PM

- 18. (original) A method according to claim 14, wherein receiving the data file further comprises checking security access for the data file.
- 19. (original) A method according to claim 14, further comprising creating a visual representation of the plurality of jobs and the interlinking of the jobs.
- 20. (original) A method according to claim 14, further comprising creating an extensible markup language document corresponding to the job stream.
- 21. (currently amended) A system for software application development, comprising a processor with:

means for selecting a plurality of jobs from a preexisting library of jobs, wherein the library of jobs comprises at least one job configured to read the file format and data structure of the known input file and convert that input file to a tab delimited file format or data structure that is common to the plurality of jobs, at least one job configured for extracting data from a file, at least one job configured for archiving files, at least one job configured for loading files, at least one job configured for messaging, at least one job configured for transforming data in a file, at least one job configured for validating data in a file, and further wherein each job includes

LA1:#6356019

Docket No.: 37799.00200

including an indicator of job termination, wherein the indicator is either termination success or job termination failure;

means for creating a job stream, the job stream comprising the plurality of jobs linked to each other according to the indicator of job termination success or job termination failure;

means for creating a manager;

means for receiving the data file; and

means for processing the data file with the job stream in a plurality of steps, either in sequence or in parallel, using the manager, wherein at least one of the plurality of steps comprises converting the file format and data structure of the data file to the tab delimited a file format or data structure substantially common to the plurality of jobs.

(currently amended) Computer executable software code transmitted as an 22. information signal, the code for software application development, the code comprising:

code to select a plurality of jobs from a preexisting library of jobs, wherein the library of jobs comprises at least one job configured to read the file format and data structure of the known input file and convert that input file to a tab delimited file format or data structure that is common to the plurality of jobs, at least one job configured for extracting data from a file, at least one job configured for archiving files, at least one job configured for loading files, at least one job configured for messaging, at least one job configured for transforming data in a file, at least one job configured for validating data in a file, and further wherein each job includes including an indicator of job termination, wherein the indicator is either termination success or job termination failure;

LA1:#6356015

Milbank Tweed LA

PATENT

Docket No.: 37799.00200

code to create a job stream, the job stream comprising the plurality of jobs linked to each other according to the indicator of job termination success or job termination failure;

code to create a manager;

Milbank Tweed LA

code to receive the data file; and

code to process the data file with the job stream in a plurality of steps, either in sequence or in parallel, using the manager, wherein at least one of the plurality of steps comprises converting the file format and data structure of the data file to the tab delimited a file format or data structure substantially common to the plurality of jobs.

23. (currently amended) A computer-readable medium having computer executable software code stored thereon, the code for software application development, the code comprising:

code to select a plurality of jobs from a preexisting library of jobs, wherein the library of jobs comprises at least one job configured to read the file format and data structure of the known input file and convert that input file to a tab delimited file format or data structure that is common to the plurality of jobs, at least one job configured for extracting data from a file, at least one job configured for archiving files, at least one job configured for loading files, at least one job configured for messaging, at least one job configured for transforming data in a file, at least one job configured for validating data in a file, and further wherein each job includes including an indicator of job termination, wherein the indicator is either termination success or job termination failure;

code to create a job stream, the job stream comprising the plurality of jobs linked to each other according to the indicator of job termination success or job termination failure;

LA1:#6356015

Fax Server

Docket No.: 37799,00200

code to create a manager;

code to receive the data file; and

code to process the data file with the job stream in a plurality of steps, either in sequence or in parallel, using the manager, wherein at least one of the plurality of steps comprises converting the file format and data structure of the data file to the tab delimited a file format or data structure substantially common to the plurality of jobs.

- (currently amended) A programmed computer for software application development, comprising:
- a memory having at least one region for storing computer executable program code; and
- a processor for executing the program code stored in the memory, wherein the program code comprises:

code to select a plurality of jobs from a preexisting library of jobs, wherein the library of jobs comprises at least one job configured to read the file format and data structure of the known input file and convert that input file to a tab delimited file format or data structure that is common to the plurality of jobs, at least one job configured for extracting data from a file, at least one job configured for archiving files, at least one job configured for loading files, at least one job configured for messaging, at least one job configured for transforming data in a file, at least one job configured for validating data in a file, and further wherein each job includes including an indicator of job termination, wherein the indicator is either termination success or job termination failure;

code to create a job stream, the job stream comprising the plurality of jobs

LA1:#6356015

Docket No.: 37799.00200

linked to each other according to the indicator of job termination success or job termination failure:

code to create a manager;

code to receive the data file; and

code to process the data file with the job stream in a plurality of steps. either in sequence or in parallel, using the manager, wherein at least one of the plurality of steps comprises converting the file format and data structure of the data file to the tab delimited a file format or data structure substantially common to the plurality of jobs.

> 25 - 26. (cancelled)